



E-ReFS *an online guide to estuarine research*

© Estuarine Research Federation
(www.erf.org)

Chesapeake Bay

Walter Boynton

University of Maryland – Chesapeake Biological Laboratory

Fisheries and Fish Biology:

- Breitburg, D.L. 1992. Episodic hypoxia in Chesapeake Bay: Interacting effects of recruitment, behavior, and physical disturbance. *Ecol. Monogr.* 62: 525-546.
- Houde, E.D. and E.S. Rutherford. 1993. Recent trends in estuarine fisheries: Predictions of fish production and yield. *Estuaries.* 16:161-176.
- Mansueti, R.J. 1964. Eggs, larvae, and young of the white perch, *Roccus americanus*, with comments on its ecology in the estuary. *Ches. Sci.* 5: 3-45.
- Rothschild, B.J., J.S. Ault, P. Gouletquer, and M. Heral. 1994. Decline of the Chesapeake Bay oyster population: a century of habitat destruction and overfishing. *Mar. Ecol. Prog. Ser.* 111:29-39.
- Ruiz, G.M., A.H. Hines, and M.H. Posey. 1993. Shallow water as a refuge habitat for fish and crustaceans in non-vegetated estuaries: an example from Chesapeake Bay. *Mar. Ecol. Prog. Ser.* 99:1-16.
- Ulanowicz, R.E. and T.T. Polgar. 1980. Influences of anadromous spawning behavior and optimal environmental conditions upon striped bass (*Morone saxatilis*) year-class success. *Can. J. Fish. Aquat. Sci.* 37:143-154.

Benthic Ecology:

- Boesch, D.F. 1977. A new look at the zonation of benthos along the estuarine gradient, pp. 245-266. In: B.C. Coull (Ed.). *Ecology of Marine Benthos*. University of South Carolina Press, Columbia.
- Dauer, D.M. J.A. Ranasinghe and S.B. Weisberg. 2000. Relationships between benthic community condition, water quality, sediment quality, nutrient loads, and land use patterns in Chesapeake Bay. *Estuaries* 23:80-96.
- Holland, A.F. 1985. Long-term variation of macrobenthos in a mesohaline region of Chesapeake Bay. *Estuaries* 8(2A):93-113.
- Diaz, R. J. and L. C. Schaffner. 1990. The functional role of estuarine benthos, pp. 25-56. In: M. Haire and E. C. Krome (eds.), *Perspectives on the Chesapeake Bay, 1990*. Advances in Estuarine Science. Chesapeake Bay Program, Chesapeake Research Consortium Publication CBP/TRS41/90.
- Gerritsen J., A.F. Holland, and D.E. Irvine. 1994. Suspension-feeding bivalves and the fate of primary production: an estuarine model applied to the Chesapeake Bay. *Estuaries* 17: 403-416.
- Holland, A.F., A.T. Shaughnessy, and M.H. Hiegel. 1987. Long-term variation in mesohaline Chesapeake Bay macrobenthos: spatial and temporal patterns. *Estuaries* 10(3) 227-245.
- Holland, A.F., N.K. Mountford, and J.M. Mihursky. 1977. Temporal variation in Upper Bay mesohaline benthic communities: I. The 9 m mud habitat. *Chesapeake Sci.* 18:370-378.

- Holland, A.F., N.K. Mountford, M. Hiegel, K. Kaumeyer, and J.A. Mihursky. 1980. The influence of predation on infaunal abundance in Upper Chesapeake Bay. *Mar. Biol. (Berlin)* 57:221-235.
- Virstein, R. W. 1977. The importance of predation by crabs and fishes on benthic infauna of Chesapeake Bay. *Ecology* 58:1199-1277.
- Nestlerode, J.A. and R.J. Diaz. 1998. Effects of periodic environmental hypoxia on predation of a tethered polychaete, *Glycera americana*: implications for trophic dynamics. *Mar. Ecol. Prog. Ser.* 172-195.
- Llanso (1992) Tolerance of low dissolved oxygen and hydrogen sulphide by the polychaete *Streblospio benedicti*. *J. Exp. Mar. Biol. Ecol.* 153: 165-178.
- Dauer, D.M., C.A. Maybury, and R.M. Ewing. 1981. Feeding behavior and general ecology of several species of polychaetes from the Chesapeake Bay. *J. Exp. Biol. Ecol.* 54: 21-38.
- Schaffner, L.C. 1990. Small-scale organism distributions and patterns of species diversity: evidence for positive interactions in an estuarine benthic community. *Mar. Ecol. Prog. Ser.* 61:107-117.

Systems Ecology:

- Baird, D. and R.E. Ulanowicz. 1989. The seasonal dynamics of the Chesapeake Bay ecosystem. *Ecol. Monogr.* 59:329-364.
- Harding, L.W. Jr., and E. Perry. 1997. Long-term increase of phytoplankton biomass in Chesapeake Bay. *Mar. Ecol. Prog. Ser.* 157:39-52.
- Fisher, T. R., E. R. Peele, J. W. Ammerman and L. W. Harding, Jr. 1992. Nutrient limitation of phytoplankton in Chesapeake Bay. *Mar. Ecol. Prog. Ser.* 82:51-63.
- Boynton, W.R., J.H. Garber, R. Summers and W.M. Kemp. 1995. Inputs, transformations, and transport of nitrogen and phosphorus in Chesapeake Bay and selected tributaries. *Estuaries* 18(1B):285-314.

Seagrass Ecology:

- Kemp, W.M., W.R. Boynton, R.R. Twilley, J.C. Stevenson, and J.C. Means. 1983. The decline of submerged vascular plants in Chesapeake Bay: summary of results concerning possible causes. *Mar. Tech. Soc. J.* 17(2):78-89.
- Orth, R. and K. Moore. 1983. Chesapeake Bay: an unprecedented decline in submerged aquatic vegetation. *Sci.* 222:51-53.

Estuarine Physics and Circulation:

- Pritchard, D. 1952. "Salinity Distribution and Circulation in the Chesapeake Bay Estuarine System." *J. Mar. Res.* 11(2):106-123.
- Wang, D. P., and Elliott, A. J. 1978. Non-tidal variability in the Chesapeake Bay and Potomac River: evidence for non-local forcing. *J. Phys. Oceanogr.* 8(2): 225-232.
- Schubel, J., and Pritchard, D. 1986. Responses of upper Chesapeake Bay to variations in discharge of the Susquehanna River. *Estuaries* 9(4A):236-249.
- Goodrich, D. M., Boicourt, W. C., Hamilton, P., and Pritchard, D. W. 1987. Wind-induced destratification in Chesapeake Bay. *J. Phys. Oceanogr.* 17(12):2232-2240.

Boicourt, W. C. 1992. The influences of circulation processes on dissolved oxygen in Chesapeake Bay. pp. 1-59. **In:** D. E. Smith, M. Leffler, and G. Mackiernan (Eds.). *Oxygen Dynamics in Chesapeake Bay, A Synthesis of Recent Research*, Maryland Sea Grant, College Park, MD.

Estuarine Sediment Transport:

Biggs, R. B. 1970. Sources and distribution of suspended sediment in northern Chesapeake Bay. *Mar. Geol.* 9:187-201.

Schubel, J. R. 1968. Turbidity maximum of the northern Chesapeake Bay. *Sci.* 161:1013-1015.

Hobbs, C.H., Halka, J.P., Kerhin, R.T., and Carron, M.J. 1992. Chesapeake Bay sediment budget. *J. Coastal Res.* 8(2):292-300.

Sanford, L. P. 1994. Wave forced erosion of bottom sediments in upper Chesapeake Bay. *Estuaries*, 17(1B): 148-165.

Wright, L.D., Schaffner, L.C., and Maa, J.P.Y. 1997. Biological mediation of bottom boundary layer processes and sediment suspension in the lower Chesapeake Bay. *Mar. Geol.* 141(1-4):27-50.

Updated 6/65/2002
Estuarine Research Federation
webmaster@erf.org